


SUPPLEMENT TO



The Gazette of India

Satyameva Jayate

No. 28]

NEW DELHI, SATURDAY, JULY 12, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th June, 1952.

	CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)																		
Ajmer																		
Total	102	8	1	1												
Estd. mid-year pop. 706 thousands)																		
Total for w/e 7-6-52	62	8	3	3	—	—												
Total for w/e 31-5-525	5	—	—												
7-yearly mean for the week	2	1											
Assam																		
Dachar	2	2	..	—												
Khasi and Jaintia Hills												
Naga Hills												
Goalpara												
Kamrup												
Darrang												
Nowgong												
Sibsagar												
Lakhimpur												
Sadiya & Frontier Tracts												
Garo Hills												
TOTAL	2	2												
(Estd. mid-year pop. 9,334 thousands)																		
Total for w/e 7-6-52	..	3	2	9	8											
Total for w/e 31-5-52	..	11	7	10	3											
7-yearly mean for the week	..	53	34	7	2											
Bhopal																		
No incidence.																		
(Estd. mid-year pop. 845 thousands)																		
Total for w/e 7-6-52										
Total for w/e 31-5-52										
7-yearly mean for the week										
Bihar																		
Return not received.																		
Bombay																		
Bombay	7	2	—	—												
Ahmedabad	5	4	..	—												
Kaira	9	7												
Broach												
Panch Mahals												
Goa																		
No incidence.																		
(Estd. mid-year pop. 237 thousands)																		
Total for w/e 7-6-52										
Total for w/e 31-5-52										
7-yearly mean for the week										

Explanation of Symbols used—C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th June, 1952—contd.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX						PLAQUE								
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.									
Delhi																																							
Delhi City	—	—	...	—	1	—	Cuddappah	—	—	63	28	44	10								
New Delhi	—	—	Kurnool	—	—	5	1	1	1							
Delhi Notified Area	—	—	1	—	Bellary	—	—	59	16	21	4							
New Delhi Cantt.	—	—	Anantapur	—	—	77	34	7	2							
West Delhi N. A. C.	—	—	Madras	—	—	3	..	13	1							
Rural Circles.	—	—	Chingleput	—	—	5	1						
TOTAL	—	—	1	1	Chittoor	—	—	67	26	6	2						
(Estd. mid-year pop. 1,744 thousands)									North Arcot	—	—	1	..	6	2					
Total for w/e 7-6-52	—	—	Coimbatore	—	—	7	4						
Total for w/e 31-5-52	—	—	1	South Arcot	—	—	6	1						
7-yearly mean for the week	—	—	10	6	—	—	Tanjore	—	—	6	1						
Himachal Pradesh																																							
<i>Return not received.</i>																																							
Madhya Pradesh																																							
Nagpur	—	—	—	—	1	1	—	—	Mathurai	—	—	—	—	1	1					
Wardha	—	—	—	—	—	—	Ramanathapuram	—	—	2	2	18	2					
Chanda	—	—	—	—	27	..	—	—	Tirunelveli	—	—	28	7						
Chhindwara	—	—	—	—	—	—	Nilgiris	—	—						
Betul	—	—	—	—	—	—	Malabar	—	—	13	7					
Bhandara	—	—	—	—	—	—	South Kanara	—	—					
Jabalpur	—	—	1	1	West Godavari	—	—	8	1	13	2					
Sagar	—	—	36	15	17	8	—	—	TOTAL	—	—	305	120	273	57					
Mandla	—	—	—	—	—	—	(Estd. mid-year pop. 57,900 thousands)	—	—					
Hoshangabad	—	—	—	—	3	..	Total for w/e 7-6-52	—	—	170	86	224	62					
Nimar	—	—	—	—	Total for w/e 31-5-52	—	—	174	85	267	61					
Balaghat	—	—	—	—	7-yearly mean for the week	—	—	214	109	474	99	3	1				
Raipur	—	—	60	26	Manipur																														
Bilaspur	—	—	15	10	TOTAL	—	—	1				
Durg	—	—	25	(Estd. mid-year pop. 588 thousands)	—	—				
Bastar	—	—	—	—	Total for w/e 7-6-52	—	—	2	1				
Surguja	—	—	—	—	Total for w/e 31-5-52	—	—	1				
Raigarh	—	—	30	6	Orissa																														
Amravati	—	—	1	Cuttack	—	—	42	25	8	2				
Yeotmal	—	—	1	Balasore	—	—			
Akola	—	—	Puri	—	—	70	17	30	4			
Buldana	—	—	8	3	Sambalpur	—	—	46	38	20	3			
TOTAL	—	—	107	51	114	19	Khondmals	—	—		
(Estd. mid-year pop. 21,554 thousands)									Ganjam Plains	—	—
Total for w/e 7-6-52	—	—	85	62	90	12	Ganjam Agency	—	—	
Total for w/e 31-5-52	—	—	99	51	67</td																																		

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th June, 1952—contd.

Explanation of Symbols used: —C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th June, 1952—contd.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	O.	D.		C.	D.	O.	D.	C.	D.	C.	D.		
West Bengal																							
Burdwan	.	.	5	2	23	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Birbhum	9	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bankura	.	.	11	4	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midnapur	.	.	14	7	2	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooghly	.	.	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Howrah	.	.	44	25	1	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24-Parganas	.	.	61	22	42	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calcutta	.	.	70	39	7	4
Nadia	4	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Murshidabad	.	.	2	2	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malda	.	.	—	..	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West DinaJPur	.	.	1	..	—	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jalpaiguri	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Darjeeling	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cooch Behar	1
Chandernagore
TOTAL	211	102	103	37
(Estd. mid-year pop. 25,180 thousands)																							
Total for w/e 7-6-52	207	102	112	42	1	..																	
Total for w/e 31-5-52	242	105	175	70																	
7-yearly mean for the week	289	92	229	117																	
Grand total for States Parts (A) and (C) excluding Bihar and Himachal Pradesh 1,500	742	821	202																	
(Estd. mid-year pop. 247,116 thousands)																							
Corresponding total for w/e 7-6-52	1,182	643	803	235	1	..																	
Corresponding total for w/e 31-5-52	985	497	916	258	12	..																	
7-yearly mean for the week	1,008	777	1,594	410	9	4																	
STATES PART (B)																							
Hyderabad																							
Aurangabad	.	.	11	5												
Parbhani	.	.	5	2												
Bhir	.	.	15	7												
Gulborga												
Raichur												
Bidar												
Omanabad												
Warrangal												
Karimnagar												
Adilabad												
Nizamabad												
Medak												
Nalgonda	.	.	17	6												
Mahbubnagar												
Hyderabad	—												
TOTAL	48	20												
Pattala & East Punjab States Union																							
TOTAL												
Rajasthan																							
TOTAL												
Patiala & East Punjab States Union																							
TOTAL												
Rajasthan																							
TOTAL												
Saurashtra																							
TOTAL												
Gohilwad																							
TOTAL												
Haler																							
TOTAL												
Madhya Saurashtra																							
TOTAL												
Sorath																							
TOTAL												
Zalawat																							
TOTAL												
Tiravancore-Cochin																							
TOTAL												
TOTAL	21	9												

Explanation of Symbols used:—C.—Cases; D.—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th June, 1952—concl'd

CHOLERA	SMALLPOX	PLAQUE			CHOLERA	SMALLPOX	PLAQUE		
			C.	D.					
Vindhya Pradesh									
					w/e 7-6-52				
No incidence.									
Grand total for States									
Part (B)	135	54	90	30			
Grand total for States									
Parts (A), (B) and (C)	1,635	798	911	232			
ARREAR INFORMATION									
Jammu & Kashmir									
w/e 24-5-52					No incidence.				

Explanation of Symbols used :—C. = Cases; D. = Deaths.

NEW DELHI-2 (INDIA);
The 7th July, 1952.

C. V. RAMCHANDANI,
for Registrar General, India

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

3½%

TEN-YEAR
TREASURY SAVINGS
DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th June, 1952.

Town	Mid.-1952 Popn. Est. (000)	B.	B.R.*	Deaths from :-								Total	D. R. *	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and B)														
Ajmer														
Ajmer	203	68	17.4	—	—	—	20	4	16	—	—	49	12.6	8
Beawar	53	10	9.8	8	1	—	13	—	5	—	—	30	29.4	9
TOTAL	256	78	15.8	8	1	—	33	4	21	—	—	79	16.1	14
Under reference														
<i>Returns not received.</i>														
Bombay														
Ahmedabad	814	562	35.9	—	2	—	31	11	130	1	348	22.2	126	
Ahmednagar	83	52	32.6	—	—	—	3	3	4	—	24	15.1	5	
Amalner	46	33	37.3	—	1	—	5	—	1	—	10	11.3	—	
Bagalkot	33	22	33.7	1	—	—	6	—	1	—	14	22.1	—	
Baroda	219	130	33.0	—	—	—	37	1	11	—	74	17.6	—	
Barsi	43	17	20.6	—	—	—	3	—	1	—	11	13.3	5	
Belgaum	85	70	42.8	—	—	—	—	2	2	—	21	17.9	—	
Bhusawal	56	27	25.1	—	—	—	4	—	—	—	8	7.4	—	
Bijapur	68	48	36.9	—	—	—	3	1	1	—	10	7.6	1	
Broach	64	49	38.2	—	—	—	1	2	1	1	14	11.4	5	
Cambay	40	22	31.2	—	—	—	14	1	—	—	18	23.4	3	
Chalisgaon	31	21	35.2	—	—	—	3	—	—	—	4	6.7	1	
Dharwar	69	32	24.1	—	—	—	4	1	3	—	16	12.1	—	
Dhulia †	67	44	31.2	—	—	—	13	1	—	—	26	20.2	6	
Gadag-Betgeri	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Godhra	40	29	37.7	—	—	—	14	27	201	1	769	18.4	215	
Greater Bombay	2,987	1,306	22.7	—	2	—	2	2	1	—	14	5.4	3	
Hubli	134	57	20.2	—	—	—	—	—	—	—	—	—	—	—
Jalgaon	71	35	25.6	—	—	—	2	1	1	2	12	8.8	—	
Kalyan	62	32	26.8	—	—	—	1	—	3	—	8	6.5	2	
Kolhapur	143	97	33.2	—	—	—	2	5	4	—	27	9.8	5	
Nandurbar	31	19	31.8	—	—	—	—	1	—	—	7	11.7	3	
Malegaon	57	45	41.1	—	—	—	10	2	—	1	17	15.5	3	
Miraj †	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nadiad	65	31	24.8	—	—	—	25	—	2	—	29	23.2	10	
Nasik	103	52	26.3	—	1	—	6	5	1	—	34	17.2	9	
Navasari †	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pandharpur	41	29	36.8	—	—	—	4	3	4	—	14	17.8	6	
Patan †	516	250	25.2	5	—	—	3	—	45	2	124	12.5	—	
Poona	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sangli	52	30	30.0	—	—	—	1	—	2	—	18	18.0	2	
Satara	38	27	36.9	—	—	—	1	2	2	1	13	11.8	—	
Sholapur	274	204	38.7	—	—	—	10	5	31	—	80	15.2	24	
Surat	230	180	40.1	—	—	—	16	3	24	1	83	18.8	—	
Thana †	—	—	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	6,502	3,559	28.2	6	5	..	239	79	477	10	1,849	14.7	440	
Delhi State														
Delhi City	958	471	15.6	—	—	—	104	8	39	..	101	10.4	58	
New Delhi	304	155	26.5	—	—	—	2	1	2	1	48	8.2	17	
TOTAL	1,259	626	25.9	..	—	—	106	9	41	1	239	9.9	75	
Madhya Pradesh														
Achalpur	36	26	37.6	—	—	—	6	—	—	—	9	13.0	2	
Akola †	90	77	44.5	—	—	—	11	—	—	1	32	18.5	4	
Amravati	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bilaspur	39	20	26.7	—	—	—	7	1	—	—	18	24.0	9	
Burhanpur	72	51	39.0	—	—	—	9	1	—	—	14	10.1	—	
Chanda	41	30	38.0	—	—	—	5	—	3	..	17	21.6	12	
Damoh	38	26	35.6	—	—	—	7	—	3	..	12	16.4	—	
Gondia †	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hinganghat †	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jabalpur	212	110	27.0	—	3	—	31	13	9	..	71	17.4	8	
Khandwa	54	14	13.5	—	—	—	6	1	—	..	12	11.6	..	
Nagpur	489	85	9.4	—	—	—	35	..	5	..	84	9.3	..	
Raipur	93	20	11.2	—	—	—	9	1	1	..	21	11.7	..	
Sagar	69	27	20.3	2	—	—	8	2	1	..	15	11.3	..	
Wardha †	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Yeotmal	37	31	43.6	—	—	—	5	12	16.9	6	
TOTAL	1,250	520	21.6	2	3	..	139	19	22	1	317	13.2	41	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th June, 1952—contd.

Town	Mid.-1952 Popn.-Est. (000)	Deaths from—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras														
Adoni	56	37	34.4	1	1	2	11	10.2	2	
Ambar	42	28	34.6	1	4	..	11	13.6	2		
Anakapalle †	42	23	28.5	3	8	4	..	22	27.2	5	
Aruppukottai	50	27	28.1	3	2	..	1	16	16.6	3	
Bellary †	32	5	8.1	1	2	6	9.8	1	
Bhimevaram	43	29	35.1	2	13	15.7	4	
Cannanore	
Chirala	37	15	21.1	2	1	1	..	9	12.6	2	
Chittor	40	26	33.8	2	14	18.2	1	
Coimbatore	203	159	40.7	11	15	..	69	17.7	20	
Cuddalore	69	57	43.0	4	4	4	1	30	22.6	4	
Cuddappah	89	28	37.3	4	2	1	..	13	17.3	1	
Dindigul	82	45	28.5	..	1	5	2	28	17.8	8	
Elturu	90	37	21.4	6	2	2	..	21	12.1	8	
Erode	60	51	44.2	1	6	18	15.6	3	
Gudiyattam	47	54	59.7	2	6	1	..	13	14.4	7	
Guntur †	124	125	52.4	7	1	8	..	43	18.0	12	
Kakinada	103	56	28.3	1	1	2	..	22	11.1	7	
Mancheepuram	86	70	42.3	..	1	..	2	3	13	3	50	30.2	12	
Karalkudi	59	31	41.3	1	1	..	11	14.7	5	
Karur	44	8	9.5	1	1	..	5	5.9	..	
Kozhikode	162	157	50.4	..	1	..	4	3	10	..	78	25.0	11	
Kumbakonam	95	58	31.7	3	3	..	28	15.3	7	
Kurnool	82	55	46.1	3	14	11.7	6	
Madras	1,488	1,177	40.7	..	1	..	65	89	220	..	725	25.1	200	
Mangalore †	
Massilipatnam	81	41	26.3	5	2	1	..	28	18.0	6	
Mathurai	378	280	39.4	..	1	..	13	10	55	1	155	21.3	36	
Mayuram	45	29	33.5	1	1	1	..	18	16.0	2	
Melepalayam †	
Nagapattinam	59	54	47.6	2	2	4	28	24.7	6	
Nellore	85	57	34.9	12	2	5	5	59	36.1	10	
Ootacamund	43	41	49.6	2	4	..	19	23.0	4	
Palaamkottai	41	66	83.7	2	..	2	..	16	20.3	1	
Palghat	71	68	49.8	3	3	4	..	27	19.8	6	
Proddatur †	46	38	43.0	8	1	3	1	21	23.7	4	
Pudukkottai	
Rajahmundry	109	64	30.5	9	5	3	..	44	21.0	9	
Rajapalayam	63	38	31.4	1	4	7	..	17	14.0	1	
Salem	212	118	28.9	3	5	11	..	58	14.2	13	
Srivilliputtur	41	33	41.9	2	2	2	..	17	21.6	7	
Tanjore	105	85	42.1	..	1	..	1	4	9	2	49	24.3	6	
Tellicherry	63	28	23.1	4	..	11	9.1	1	
Tenali	60	35	30.3	4	3	4	..	17	14.7	2	
Tiruchirappalli	226	161	32.0	1	3	17	..	71	16.3	3	
Tirunelveli	75	31	21.5	2	3	..	22	15.3	7	
Tirupur	55	26	24.6	2	1	..	13	12.3	2	
Tiruvannamalai	31	27	45.3	1	1	..	6	10.1	3	
Tuticorin	101	86	44.3	2	9	1	33	17.0	9	
Vaniyambadi	40	28	36.4	..	1	2	5	..	18	16.9	6	
Vellore †	171	45	13.7	0	1	3	..	29	8.8	6	
Vijayavada	
Virudhunagar	48	43	46.6	4	2	4	..	16	17.3	1	
Vizakhapatnam	113	46	21.2	2	1	9	..	46	18.4	13	
Vizianagram	69	37	27.9	3	1	5	..	33	24.9	8	
TOTAL	5,582	3,969	37.0	1	7	..	190	212	481	24	2,125	19.8	508	
Orissa														
Berhampur	65	27	21.7	4	2	..	1	14	11.2	4	
Cuttack	106	83	40.8	4	2	5	..	87	18.2	9	
Puri	50	40	41.7	12	3	2	1	28	28.6	6	
TOTAL	221	150	35.8	20	7	7	2	79	18.6	19	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th June 1952—contd.

Deaths from—

Town	Mid.-1952 Popn.—Est., (000)	B.	B. R.*	O.	S.	P.	F.	D.D.	S.D.	M.D.	Total	D.R.*	I.D.
Punjab (I)													
Ambala	59	21	18.6	—	—	—	5	1	1	—	13	11.5	2
Amritsar	317	176	29.0	—	—	—	5	5	27	—	75	12.4	16
Batala	67	17	15.6	—	—	—	5	—	5	—	11	10.1	5
Bhiwani	53	41	40.4	—	—	—	12	1	4	—	20	19.7	3
Ferozepore	41	22	28.1	—	—	—	—	5	1	—	8	10.2	3
Hissar	86	21	30.5	—	—	—	5	2	3	—	13	18.9	7
Hoshiarpur	47	20	22.2	—	—	—	2	—	2	—	7	7.8	2
Jullundur	176	77	22.9	—	—	—	9	2	3	—	20	5.9	5
Karnal	61	34	29.1	—	—	—	11	—	3	—	16	13.7	3
Ludhiana	159	72	23.7	—	—	—	16	—	2	—	28	9.2	6
Moga	88	14	19.3	—	—	—	2	—	1	—	4	5.5	2
Panipat	57	36	33.0	—	—	—	5	1	1	—	11	10.1	5
Pathankot	31	11	18.5	—	—	—	3	—	1	—	5	8.4	1
Rewari	85	19	28.4	—	—	—	4	2	2	—	9	13.5	2
Rohtak †	—	—	—	—	—	—	—	—	—	—	—	—	—
Simla	46	33	37.5	—	—	—	—	—	—	—	7	8.0	5
Sonepat †	—	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	1,213	614	26.3	—	—	—	84	19	56	—	247	10.6	67
Uttar Pradesh													
Agra	344	330	51.5	—	—	—	7	14	102	—	217	33.6	67
Allahabad	332	109	17.7	—	—	—	5	1	81	—	73	11.9	18
Amroha	59	42	37.2	—	—	—	8	—	8	—	24	21.3	5
Bahraich	45	28	32.5	—	—	—	3	1	3	—	11	12.8	3
Ballia	32	7	11.4	—	—	—	6	1	—	—	10	16.3	3
Benaras	350	213	31.8	—	1	—	77	11	29	—	232	34.7	44
Banda	31	9	15.2	1	—	—	1	—	1	—	8	13.8	—
Bareilly	197	58	15.4	—	3	—	10	—	6	—	35	9.3	14
Basti †	—	—	—	—	—	—	—	—	—	—	—	—	—
Bijnor	31	14	23.6	—	—	—	2	—	4	—	9	15.2	4
Budaun	53	25	24.7	—	—	—	—	3	7	—	14	13.8	3
Bulandshahr	39	23	30.8	—	—	—	8	—	—	—	8	10.7	3
Chandausi	38	22	30.3	—	—	—	6	1	4	—	16	22.0	5
Dehra Dun	124	28	11.8	—	1	—	8	—	2	—	16	6.7	1
Etawah	61	51	43.7	—	—	—	15	1	6	—	44	37.7	19
Faizabad-Ajodhya	79	20	13.2	—	—	—	4	1	1	—	10	6.6	1
Farrukhabad-Fatehgarh	78	33	22.7	—	—	—	7	1	10	—	28	19.3	5
Ferozabad	69	25	18.9	—	—	—	9	1	2	—	19	14.4	3
Ghaziabad	40	14	18.3	—	—	—	9	—	—	—	11	14.4	8
Ghazipur	35	28	41.8	—	—	—	5	1	1	—	12	17.9	6
Gonda	33	11	17.4	—	—	—	7	1	3	—	12	19.0	2
Gorakhpur	128	57	23.3	—	—	—	24	1	6	—	40	16.3	7
Hapur	45	35	40.7	—	1	—	15	—	4	—	25	29.0	8
Hardwar	58	20	18.0	—	—	—	15	6	2	—	32	28.8	11
Hathras	68	51	46.0	—	—	—	21	3	5	—	37	33.4	14
Jaunpur	63	25	24.7	—	—	—	7	—	5	2	20	19.7	2
Jhansi	109	80	38.4	—	—	—	33	—	2	—	43	20.6	9
Kanpur	662	255	20.1	—	—	—	100	32	35	7	300	23.7	94
Kasganj	33	4	6.3	—	—	—	—	—	—	—	1	1.6	—
Khurja	39	21	28.2	—	—	—	3	—	3	—	15	20.1	5
Koil-Aligarh	141	63	23.4	—	—	—	14	6	5	1	37	13.7	13
Lucknow	457	288	33.0	2	—	—	76	16	51	1	236	27.0	48
Mathura	101	65	33.6	—	—	—	15	1	1	—	30	16.5	9
Mau-Nath Bhanjan	35	22	32.9	—	—	—	6	1	—	—	11	16.4	2
Meerut	167	76	23.8	—	—	—	15	1	5	1	32	10.0	2
Mirzapur-Vindhya chal	90	41	23.8	—	—	—	17	1	6	—	38	22.1	11
Moradabad	158	100	33.1	—	—	—	17	6	8	—	45	14.9	11
Muzaffarnagar	67	43	33.6	—	—	—	8	1	—	1	20	15.6	4
Pilibhit	45	26	30.2	—	—	—	7	4	2	—	24	27.9	5
Rampur	140	15	5.6	—	—	—	1	—	3	1	9	3.4	1
Saharanpur	147	89	31.7	—	—	—	38	1	2	—	47	16.7	18
Sambhal	62	47	39.6	—	—	—	6	—	2	1	14	11.8	3
Shahjahanpur	99	46	24.3	—	—	—	16	3	3	1	35	18.5	16
Sitapur	46	13	14.8	—	—	—	8	1	—	—	10	11.4	4
TOTAL	4,998	2,581	26.9	3	6	—	668	122	370	16	1,910	19.9	511

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th June, 1952—contd.

Town	Mid-1952 Popn.—Est. (000)	Deaths from—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	D.
West Bengal													
Asansol†													
Baidyabati†													
Bally	62	6	5.1	1	..	5	4.2	..
Bankura	49	8	8.5	1	2	2.1	..
Bansberia†													
Baranagar	80	26	17.0	2	3	4	..	24	15.7	9
Basirhat	36	5	7.3	1	1.5	..
Berhampur	58	28	25.2	2	2	7	6.3	..
Bhadrakar	83	7	11.1	1	4	6.3	..
Bhatpara	136	39	15.0	1	1	..	12	1	1	1	42	16.1	..
Budge-Budge	32	1	1.6	2	3.3	..
Burdwan	77	8	5.4	1	1	7	4.8	..
Calcutta	2,609	889	17.8	39	4	..	63	66	172	1	686	13.7	173
Champdani	38	9	4.1
Cooch-Behar†													
Darjeeling†													
English Bazar	82	44	71.9	..	1	1	1	2	2	1	18	13.1	..
Garden Reach	114	25	11.5	..	1	1	5	2	2	1	18	8.3	3
Haldibari	37	3	4.2	1	2	2.8	1
Hooghly Chinsura	57	38	27.5	4	..	4	..	17	15.6	4
Howrah	452	89	10.3	7	8	23	31	..	131	15.2	—
Jalpaiguri	43	7	8.5	2	1	1	..	13	15.8	..
Kamarhati†													
Kanpurpura	61	4	8.4	—	—	—	1	0.9	—
Krishnagar	50	88	92.0	1	—	—	7	1	2	..	12	12.5	..
Midnapore	44	27	32.0	—	—	—	1	2	1	2	11	13.1	2
Nabadwip†													
Naihati	67	6	5.5	1	..	1	..	3	2.8	—
North Barrackpore†													
Panihati	55	2	1.9	1	2	1.9	..
Santipur	44	11	13.1	1	—	—	2	2	2	..	10	11.9	..
Serampore	76	27	18.6	1	—	—	18	10.3	5
Siliguri†													
South Dum-Dum	68	4	3.1
South Suburban†													
Titagarh	72	16	11.6	19	..	1	..	23	16.7	4
Tollygunj	163	9	2.9	1	—	1	0.3	..
TOTAL	4,635	1,412	15.8	53	16	—	131	102	224	6	1,047	11.7	201

STATES (Part B)

Jammu & Kashmir }
Madhya Bharat }

Returns not received.

Mysore State

Bangalore City	825	380	24.0	—	2	—	8	30	36	—	176	11.1	—
Devanagari†													
Kolar Gold Fields	163	114	36.4	..	1	..	3	4	5	—	45	14.4	—
Mysore City	257	177	35.8	—	1	—	19	5	—	1	59	11.9	—
TOTAL	1,245	671	28.0	—	4	..	30	39	41	1	280	11.7	—

PEPSU

Bhatinda	35	11	16.3	..	—	..	7	..	3	1	19	28.2	2
Malerkotla	33	26	41.0	..	1	1	2	1	5	7	—
Patiala	100	46	28.0	13	2	2	1	25	13.0	8
TOTAL	168	83	25.7	..	1	..	20	3	7	2	49	15.2	10

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th June, 1952—contd.

Town	Mid.-1952 Popn.-Est. (000)	Deaths from—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.***
Rajasthan													
Alwar †
Bharatpur †	.	.	.	117	93	41.3	..	3	6	..	28
Bikaner	.	.	.										12.4
Jaipur †	.	.	.	181	187	25.0	—	—	..	11	1	..	5
Jodhpur	.	.	.										9.5
Kotah City †	.	.	.										5
Sikar †	.	.	.										
Tonk †	.	.	.										
Udaipur †	.	.	.										
TOTAL	.	.	298	180	31.4	..	3	..	11	1	6	2	61
Saurashtra													
Shaunagar	.	.	143	51	18.5	19	4	5	—	40
Dhoraji	.	.	45	21	24.3	7	..	1	..	19
Gondal	.	.	38	19	26.0	2	..	2	..	10
Jamnagar	.	.	109	35	16.7	—	—	—	12	3	2	—	21
Junagadh	.	.	63	38	31.4	—	—	..	8	4	1	..	29
Morvi	.	.	41	9	11.4	1	1	1	..	9.4
Porbandar	.	.	60	23	19.9	—	4	..	2	—	14
Rajkot	.	.	141	76	28.0	..	3	..	10	4	3	..	31
Surendra Nagar †	.	.											15.4
Veraval	.	.	42	8	9.9	1	1
TOTAL	.	682	280	21.3	..	3	..	64	16	17	1	168	12.8
Travancore-Cochin													
Alleppey	.	.	124	114	47.8	—	—	—	1	3	5	—	21
Changancherry	.	.	37	18	25.8	—	—	—	..	3	1	..	11
Ernakulam	.	.	64	57	46.3	1	2	..	22
Kottayam	.	.	46	25	28.3	—	1	..	3
Mattancherri	.	.	76	63	43.1	—	1	—	1	..	8
Nagercoil	.	.	83	38	23.8	—	1	..	—	1	11
Quilon	.	.	68	109	83.4	—	1	—	2	3	7	—	29
Trichur	.	.	71	44	32.2	—	—	—	..	1	—	4	2.9
Trivandrum City	.	.	105	97	25.9	—	—	—	8	1	7	..	34
TOTAL	.	764	565	38.5	—	1	—	13	11	24	1	143	2.7
ARREAR RETURNS													
<i>For w/e the 24th May 1952.</i>													
P E P S U													
Bhatinda	.	.	36	12	17.8	—	—	..	13	—	1	—	18
Malerkotla City	.	.	33	19	29.6	—	1	..	3	—	5
Patiala City	.	.	100	32	10.6	—	16	..	1	—	22
TOTAL	.	168	63	19.5	—	1	..	32	..	2	—	45	13.9
<i>For w/e the 31st May, 1952.</i>													
P E P S U													
Bhatinda	.	.	35	28	41.6	—	—	—	6	1	..	1	12
Malerkotla City	.	.	33	16	25.2	—	—	..	1	—	1	..	3
Patiala City	.	.	100	22	11.4	—	—	..	24	..	2	—	36
TOTAL	.	168	66	20.4	—	—	—	31	1	3	1	51	15.8
Travancore-Cochin													
Alleppey	.	.	124	71	29.8	—	..	—	1	..	1	..	8
Changancherry	.	.	37	29	40.8	—	—	1	6
Ernakulam	.	.	64	47	38.2	—	4	..	1	..	21
Kottayam	.	.	46	42	47.5	—	1	1	2	..	9
Mattancherri	.	.	76	56	38.3	—	2	..	6	..	16
Nagercoil	.	.	83	27	18.9	—	3	..	1	..	14
Quilon	.	.	68	57	43.6	—	2	4	..	13
Trichur	.	.	71	32	23.4	—	1	9
Trivandrum City	.	.	105	147	39.2	—	3	4	9	3	44
TOTAL	.	764	508	34.6	—	15	7	25	3	140	9.5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Disease; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).]

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th June, 1952—*contd.*

Deaths from:—

Town	Mid. 1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Bihar													
Arrah	67	10	7.8	1	8	...	8	...	12	9.3	—
Bettiah †	118	22	9.7	2	18	7.9	—
Bhagalpur	64	15	12.2	1	1	..	—	..	2	1.8	—
Bihar	66	32	25.3	1	1	..	1	..	14	11.1	—
Chapra	86	20	12.1	2	4	1	10	6.1	—
Darbhanga	44	5	6.0	1	..	2	..	3	3.6	—
Dinepur-Nizamat	198	47	17.1	1	3	..	26	4	15	..	71	26.8	—
Gaya	45	5	5.8	—
Jamalpur	227	67	15.3	6	..	9	2.1	1
Mamshedpur	203	17	3.0	1	1	16	2.8	—
Monghyr †	113	21	9.7	2	9	4.1	—
Muzaffarpur † . . .	43	5	6.1	—	2	4	4.8	—
TOTAL	1,218	266	11.4	7	8	..	48	8	27	..	168	7.2	4
Madhya Pradesh													
Jabalpur . . 7-6-52 . .	212	25	6.1	..	3	..	5	10	5	..	42	10.3	4
Sagar . . " . .	69	23	17.3	2	6	1	11	8.8	..
Damoh . . " . .	38	22	30.1	11	1	14	19.2	..
Punjab (I)													
Rohtak . . 7-6-52 . .	73	52	87.2	14	1	3	..	22	15.8	6
Sonepat . . " . .	31	18	30.4	2	4	6.7	2
Bhopal													
Bhopal City . . 3-5-52 . .	106	34	16.7	..	1	..	9	..	1	†	15	7.4	†
" . . 10-5-52 . .	29	14.2	8	..	1	†	15	7.4	†
" . . 17-5-52 . .	27	12.9	6	..	3	†	13	6.4	†
" . . 24-5-52 . .	35	17.2	8	2	5	†	17	8.9	†
" . . 31-5-52 . .	39	19.1	..	1	5	3	4	†	14	6.9	†

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 14th June, 1952, relate to 210 towns with an estimated population of 29,337 thousands. The total number of towns is 281 and their population is 34,545 thousands. Thus 75% of the total number of towns representing 85% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 15,268 and 8,593 representing birth and death rates of 27.1 and 15.2 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 184 towns with an estimated population of 26,076 thousands. The total number of towns is 235 and their population is 29,351 thousands. Thus 78% of the total number of towns representing 89% of the total population is covered.

The numbers of births and deaths recorded in these towns were 13,489 and 7,892 representing birth and death rates of 26.9 and 15.7 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 26 towns with an estimated population of 3,261 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 57% of total number of towns representing 63% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,779 and 701 representing birth and death rates of 28.4 and 11.2 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 14-6-52		Corresponding w/e last year		Corresponding mean during the previous 5 years' period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D.R.
Ajmer	15.8	16.1	34.4	13.4	30.6	16.9
Bombay	28.2	14.7	34.8	18.8	30.6	18.8
Delhi	25.9	9.9	39.4	17.6	33.3	20.2
Madhya Pradesh	21.6	19.2	28.9	14.1	27.6	18.3
Madras	37.0	19.8	45.9	28.9	42.8	25.3
Orissa	35.3	18.6	42.4	15.7	40.6	19.9
Punjab (I)	26.3	10.6	19.8	9.1	20.0	15.3
Uttar Pradesh	26.9	19.9	33.4	20.5	29.4	26.8
West Bengal	15.8	11.7	13.8	11.2	11.3	12.8
India (only States Parts A & C) 26.9	15.7	30.1	17.7	27.5	27.5	19.9

NEW DELHI, 2 (INDIA) ; }
The 7th July, 1952. }

C. V. RAMCHANDANI,
for Registrar General, India.